


# CL400<sup>®</sup> ADA Magnetic



*CL400 ADA Passage in satin chrome finish.*



*CaviLock CL400 ADA Privacy in satin chrome finish.*

 **CaviLock<sup>®</sup>**



The CL400 ADA Magnetic matches the look and functionality of the CL400 Magnetic range with greater accessibility.

Utilising the patented magnetic mechanism of the CL400 Magnetic, this addition to the range provides flexibility for building owners. It uses the same door cutout and striker and is able to be retrofitted over existing CL400 flush handles for the requirements of disabled tenants.


## Design Features

- ▮ Pull handle is easy to use - no tight pinching or twisting of the wrist.
- ▮ Complies with NZS4121:2001\*
- ▮ Specify with the **CS EasyOpen** cavity slider for a complete solution.\*
- ▮ Privacy option is supplied with red/green engaged/vacant indication as standard.
- ▮ Available in Passage, Privacy and Bi-Parting configurations.
- ▮ Suitable for cavity or surface sliding doors.




↑ CL400 ADA Magnetic Emergency Release, Satin Chrome.

## Dimensions



## Configurations



\* To comply with NZS4121:2001 the offset handle option must be used. The centre of the handle should be positioned between 900mm and 1200mm (1000mm optimal) above finished floor level. The door needs to be at least 910mm wide (Aust. 1050mm) to allow minimum clear walk through of 760mm (Aust. 850mm). There must be a 45mm clear space from edge of pull handle to the nearest door jamb when the door is both fully open and completely closed. A flat closing jamb is recommended. The supplied 'Down to Lock' label must be positioned as close as possible to the handle. Consult local standards for guidelines relating to the specific project.

**Selection Procedure** To order, ensure you have the following information ready (See overleaf for codes):

Function	Door thickness	Finish	Handing Configuration
Single Door	34 - 40 mm	Satin Chrome	Handing must be determined at time of manufacture and cannot be altered on site. See diagram for determining handing of functions.
Bi-Parting Door	40 - 46 mm	Matte Chrome	
Passage Non Latching	46 - 52 mm	Bright Chrome	LH                      RH Blank                Blank Snib                    Snib Emerg.                Emerg.
Passage Mag Latching	52 mm +	Satin Nickel	
Privacy Locking	(Special Order)	Oil Rubbed Bronze	
		Special Order	

